








--	--	--	--	--	--	--	--	--

[illegible][illegible][illegible]

--	--	--	--	--	--

1. 
2. 
3. 
4.  Reset 
5.  Avatar 

[illegible]

--	--	--	--	--	--	--	--

□□□□□□ → □□ → □□“□□”□
 □□□□ “IP Helper” □□□□□□□□
 □□□□□□□□ IP Helper □□□□□□□□□□

□□CMD□□

□□□□□□ → □□ → □□ “cmd”□□ “□□□□□□”□

[illegible]

☐ CMD ☐ ipconfig ☐

以太网适配器 以太网 4:

```
连接特定的 DNS 后缀 . . . . . :
本地连接 IPv6 地址. . . . . : fe80::da9f:7854:bdb:ae5a%4
IPv4 地址 . . . . . : 192.168.101.9
子网掩码 . . . . . : 255.255.255.0
默认网关 . . . . . :
```

无线局域网适配器 WLAN:

```
连接特定的 DNS 后缀 . . . . . :
本地链接 IPv6 地址 . . . . . : fe80::c00d:f206:b640:5c12%7
```

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX “XXXX” XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX “XXXX”

XXXXXXXXXXipXXXXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX Reset XXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX VR XXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXXwifiXX

- 1. XXXXXXXXXXXXXXX IP XXX APXXXXXXXXXXXXXXXXXXXXXXXXXXXX IP XXXXXXXXAPXXXXXXXXXXXXXXXXXXXXXXXXXXXX
- 2. XXXXX (LAN) XXXXX“XXXDHCPXXXX”XXXX“”
- 3. XXXXXXXXXXXXXXX IP XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 192.168.2.2 / 192.168.2.254XX

IP 池起始地址	192.168.101.2
IP 池结束地址	192.168.101.254

XX

- 4. XXXXXXXXXXXXXXXXXXXXXXX “XXXXXXXXIP”XXXXXXXXXXXXXXXXXXXXXXXXXXXX 1 XXXXXXXXXXXXXXXXXXXXXXX 192.168.101.1
 - 5. XXXXXWiFiXXXXXXXXXXXXXXXXXXXXXXXXXXXX
- XXXXXXXXXXXX80MhzXXXXXXXXXXXXXXXXXXXXbeamformingXXXXXXXXXXMU-MIMOXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX


XXXXXXXXXX

XXXXXXXXXXXX → XXXinternet → XX → XXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX



“ ” “Internet 4 TCP/IPv4”



→ → “cmd” “ ”

Route -p

```
Route add -p 192.168.101.0 mask 255.255.255.0 192.168.101.1
```

```
Route add -p 0.0.0.0 mask 0.0.0.0 192.168.2.1
```

192.168.101.* 192.168.101.1

192.168.2.1 0.0.0.0

IP IP 192.168.2.117 1 192.168.2.1

CMD route print

